REFERENCE

1. Adhikrao V.Y., Vandana S. N. (2008), Anti-dopaminergic effect of the methanolic extract of Morus alba L. leaves Indian J Pharmacol, Vol 40,5, 221-226.
2. Ahmad M, Yousuf S, Khan Badruzzaman, Hoda Md N. Ahmad MA, Ishrat T , Agarwal AK and Islam F.(2006), Attenuation by *Nardostachys jatamansi* of 6-hydroxydopamine-induced parkinsonism in rats: behavioral, neurochemical, and immunohistochemical studies. Pharmacol and Biochem Behav 83:150-60.
3. Anwarul HG, Qaiser J., Arif-ullah K, Abdul JS (2008), Gut modulatory, blood pressure lowering, diuretic and sedative activities of cardamom, Journal of Ethnopharmacology 115, 463–472.
4. Avissar S, Scheriber G. (2006), The involvement of G-protein and regulators of receptor G-protein coupling in pathophysiology, diagnosis and treatment of mood disorders. Clin. Chemi. Acta, 336: 37-47.
5. Avissar S, Scheriber G. (2002) Toward molecular Diagnostics of mood disorders in Psychiatry trends. Molecu. Med, Vol. 8: 294-300.
6. Biyani D. M., Verma P. R. P., Dorle A. K. (2013), CNS Activity Of An Ayurvedic Preparation: Asthamangal Ghrita, International Journal of PharmTech Research, Vol.5, No.2, pp 718-723,
7. Brown ES, Rush AJ, McEwen BS.(1999) Hippocampal remodeling damage by corticosteroids implications for mood disorders. Neuropsychopharmacol, 21: 474-484.
8. Budrat P, Shotipruk A (2009). Enhanced recovery of phenolic compounds from bitter melon (*Momordica charantia*) by subcritical water extraction. Sep. Purif. Technol. 66: 125-129.
9. Champatisingh D, Sahu P.K, Pal. A., Nanda G.S. (2011), Anticataleptic and antiepileptic activity of ethanolic extract of leaves of Mucuna pruriens: A study on role of dopaminergic system in epilepsy in albino rats. Indian Journal of Pharmacology , Vol 43,2, 197-203.
10. Djallal E.H.A., Khaled K., Miloud S., Zakia L., Amina B. (2014), The Efficacy of *Syzygium aromaticum* Essential Oil in Cognitive Disorders against Manganese Chronic Exposure in Rats during Development, Duman RS. Depression (2004), A case of neuronal life and death. Biol. Psychiat, 2004; 56: 140-145.

11. Fiserova A, Starec M, Kuldova M, Kovaru H, Pav M, Posipsil M. (2002) Effects of D2 Dopamine and Alpha adrenoreceptor anatagonist in stress induced changes on immune responsiveness of mice. J. Neuroimmunol, 130: 55-65.
12. Frank A., René S. Samy S., Edeltraut G., (2009), Long-Term Use of Antidepressants for Depressive Disorders and the Risk of Diabetes Mellitus. The American Journal of Psychiatry, Vol.166, Issue 5, 591-598.
13. Gaurav S., Alkesh J., Sapna M. and Anil K. (2015) Ethnopharmacological attributes of Polygala senega Linn. Int. J. of Pharm. Life Sci. 6(1), 4202-4208.
14. Gilani A.H, Jabeen Q, (2008), Gut modulatory, Blood pressure lowering, Duretic & Sedative activities of cardamom. J Ethnophar. Vol.115 , 463–472.
15. Girish S. A, Sudhir G. W, Avinash K. D. (2004), Evaluation of sedative and anticonvulsant activities of Unmadnashak Ghrita. J Ethnopharmacol 94, 77-83.
16. Gold PW, Goodwin FK, Chrousus GP (1988), Clinical and Biochemical Manifestations of depression. Relation to the neurobiology of stress. Part -1 N. Engl. J. Med, 319: 348-353.
17. Grover JK, Yadav SP (2004). Pharmacological actions and potential uses of *Momordica charantia*: a review. J. Ethnopharmacol. 93: 123-132.
18. Gubba EM, Fawcett JW, Herbert J.(2004), The effects of corticosteorne and dehydoepiandrosterone on neruotropic factor m RNA expression in primary hippocampal and astrocytes cultures. Mol. Brain Res, 127: 48- 59.
19. Guruprasad Nb, Rajesh D, Thejaswini M (2015), Comparative Study Of Aqueous Extract Of *Momordica Charantia* Seeds With Synthetic Insulin Sensitizers On Blood Glucose Levels And Body Weight In Albino Rats. International Journal of Pharmacy and Pharmaceutical Sciences , Vol 7, Issue 3, 313-316
20. Haddad JJ, Saadde NE, Garbedrain B. (2002), Cytokines and neuroimmune endocrine interactions. A role for the hypothalamic pituitary –adrenal involving axis. J. Neuroimmunol, 133-119.
21. Horax R, Hettiarachchy N and Islam S (2005), Total Phenolic contents and phenolic acid constituents in four varieties of bitter melons (*Momordica charantia*) and antioxidant activities of their extracts. *J Food Sci* ; Vol. 70., 1-15.
22. Jamal A, Javed K , Aslam M, (2006), Gastroprotective effect of cardamom, *Elettaria cardamomum* Maton. fruits in rats . J Ethnopharmacol 103, 149–153.
23. Joshi H, Parle M.(2006) *Nardostachys jatamansi* improves learning and memory in mice. J Med Food; 9:113-8.

24. Kendel KS, Thornton LM, Gardener CO.(2000) Stressful life events and previous episodes in the aetiology of major depression in women. An evaluation of the kindling hypothesis. Amer. J. Psychiat ; 157: 1243-1251.
25. M. Asan O. and Karakoca K. (2013) Antimicrobial and antioxidant activities of *Momordica charantia* from Turkey. African Journal of Biotechnology. Vol-12-13 pp-1548.
26. Mahmoudi, M., Ebrahimzadeh, M. A. , Ansaroudi, F. , Nabavi, S. F. and Nabavi, S. M. (2009), Antidepressant and antioxidant activities of *Artemisia absinthium* L. at flowering stage African Journal of Biotechnology Vol. 8 (24), 7170-7175.
27. Manji HK, Drevets WC, Chaney DS. (2001), The cellular neurobiology of depression. Nat. Med, 7: 541-547.
28. Md. Shalam, S.M. Shantakumar, M. Laxmi Narasu (2007), Pharmacological and biochemical evidence for the antidepressant effect of the herbal preparation Trans-01. Indian J Pharmacol, Vol 39, Issue 5, 231-234.
29. Nestler FJ, Barrot M, Di-Leone RJ, Eisch A, Gold SJ, Monteggiah L.(2002) Neurobiology of depression. Neuron ; Vol. 34: 13-25.
30. Onasanwo S.A, Chatterjee M and Palit G (2010), Antidepressant and Anxiolytic Potentials of Dichloromethane Fraction from Hedranthera barteri, Afr. J. Biomed. Res. Vol. 13, 76-84.
31. Penghua Fang, , Wen Min, Yong Sun, Lili Guo, Mingyi Shi, Ping Bo , Zhenwen Zhang (2014) **,** The potential antidepressant and antidiabetic effects of galanin system Pharmacology Biochemistry and Behavior, Volume 120, 82–87.
32. Prabhu V, Karanth KS, Rao A. (1994), Effects of *Nardostachys jatamansi* on biogenic amines and inhibitory amino-acids in the rat-brain. Planta Med; Vol. 60:114–117.
33. Rao VS, Rao A, Karanth KS. (2005), Anticonvulsant and neurotoxicity profile of *Nardostachys jatamansi* in rats. J Ethnopharmacol; 102:351-6.
34. S. Ramachandran, K. Asokkumar, M. UmaMaheswari, T. K. Ravi, (2011), Investigation of Antidiabetic, Antihyperlipidemic, and In Vivo Antioxidant Properties of Sphaeranthus indicus Linn. in Type 1 Diabetic Rats: An Identification of Possible Biomarkers, Hindawi Publishing Corporation Evidence-Based Complementary and Alternative Medicine, Vol. 8, 1-8.

35. Sathishsekar D and Subramanian S (2005), Antioxidant properties of Momordica Charantia (bitter gourd) seeds on Streptozotocin induced diabetic rats. Asian Pacific J Clin Nutr 14(2), 153-158.
36. Sheline ZI, Mitter BL, Mintun MA. (2002), The hippocampus and depression. Eur. Psychiat, Vol. 17: 300-305.
37. Sudhakar P., Gopalakrishna HN, Akshaya A, Pai MRSM, Seema Y ,Vishnu R, Durga P.(2010) Antidepressant activity of ethanolic extract of leaves of *Ocimum sanctum* in mice Journal of Pharmacy Research, Vol. 3(3),624-626
38. Sudhakar P., Swati B, Shreyasi C, Chandrasekhar R, Gopala Krishna HN, Pai MRSM (2010) Anxiolytic activity of ethanolic extract of leaves of *Ocimum sanctum* in rats Drug Invention Today, Vol. 2(2),115-118.
39. Tafet GE, Bernardini R. Pychoneuro endocrinological links between chronic stress and depression. Prog. Neuropsychopharmacol. Biol. Psychiat. 2003; 27: 893-903.
40. Taylor L (2002). Technical report for Bitter lemon (*Momordica charantia*), In: Herbal Secrets of the Rainforest, 2nd ed., 1-103. Sage Press, Austin.
41. Vavaiya RB, Patel A, Manek RA. (2010) "Anti-Diabetic Activity of Amomum SubulatumRoxb.Fruit Constituents".IJPI. Vol. 2(5), 50-63.
42. Vavaiya RB., Patel Amit, Manek R. A. (2012), Anti-Diabetic Activity of Amomum Subulatum Roxb. Fruit Constituents, International Journal Of Pharmaceutical Innovations, Volume 2, 1-15.
43. Verma S.K, Jain V, Katewa S.S. (2009), Blood pressure lowering fibrinolysis enhancing and antioxidant activities of cardamom (Ellatria cardamom). Indian J Biochem biophysics 46, 503-506.
44. Vinutha JP. (2007) Acetyl cholinesterase inhibitory activity of methanolic and successive water extracts of Nardostachys jatamansi. Ind J Pharmacol; 23:127-131.
45. Winarsi, H., Sasongko, N. D., Purwanto, A. and Nuraeni, I. (2014), Effect of cardamom leaves extract as antidiabetic, weight lost and hypocholesterolemic to alloxan-induced Sprague Dawley diabetic rats, International Food Research Journal 21(6), 22-53.